

VIKING™ 1840 DIGITAL SERIES

Auto-Darkening Welding Helmets



All American®
K3173-5

Aztec®
K4175-5



Tempered®
K5432-5



Shown:
Black K3023-5

KEY FEATURES

The VIKING™ 1840 Series, our mid-range auto-darkening helmet tier, offers superior 4C® optics with a versatile user interface and premium external controls to increase productivity.

Industry Leading Optics

- Exclusive 4C® Lens Technology
- 1/1/1 Optical Clarity

Digital User Interface

- Moisture and abrasion resistant push button LED IU controls
- Simple, intuitive adjustments for precise and consistent performance

All Day Comfort

- Custom headgear features soft, padded headband to help eliminate pressure points, while top head straps evenly distribute weight

Versatility

- Low profile external grind control
- Expanded 7 - 13 Shade Range

Process »
Stick, TIG, Pulsed TIG, MIG, Pulsed
MIG, Flux-Cored, Gouging, Grinding



Meets: ANSI Z87.1 & CSA Z94.3

ENHANCED LENS FEATURES

4C LENS TECHNOLOGY

Lincoln Electric's proprietary liquid crystal display (LCD) enhances the visible color spectrum of the display. Unlike traditional auto-darkening filters, 4C lens technology broadens the color range & hues which can be seen in both light and dark states. This eliminates imperfections and color saturation to create the clearest view of the base material, arc & puddle, while reducing eye strain.



2.5 LIGHT STATE LENS

Now offers a significantly increased level of brightness in the light state and enhanced vibrancy in the dark state compared to the previous generations.



1/1/1 OPTICAL CLARITY

Feature	VIKING 3350 ADV	Competitor 1	Competitor 2
Eliminating Distortion <i>3/x/x/x</i> (top right) / <i>1/x/x/x</i> (bottom left)	✓	✗	✗
Removing Blurriness <i>x/3/x/x</i> (top right) / <i>x/1/x/x</i> (bottom left)	✓	✗	✗
Uniform Shade <i>x/x/3/x</i> (top right) / <i>x/x/1/x</i> (bottom left)	✓	✗	✗
Consistent Angle Performance Consistent Shade at all Angles	✓	✗	✗

	VIKING 3350 ADV	Competitor 1	Competitor 2
1/1/1 Optical Clarity	✓	✓	✗
2.5 Light State Lens	✓	✗	✓
LED Light	✓	✗	✗
5 Year Warranty	✓	✗	✗


* This comparison is based on publicly available specifications as of May 2025. Product characteristics are presented for informational purposes only. As product features may vary over time, consumers should verify specifications with original manufacturers before purchase.

DIGITAL USER INTERFACE

4-POINT PIVOT HEADGEAR

Superior Comfort

1. Two adjustable top head supports distribute weight and improve balance
2. Orientation adjustment pin for optimal resting position
3. Soft front headband reduces pressure and absorbs moisture
4. Polymer backpad increases comfort and stabilizes helmet position
5. Simple ratchet tightening mechanism for comfortable, secure fit
6. Innovative and easy to use forward and backward adjustments



EXTERNAL LOW PROFILE GRIND CONTROL

Switching Modes Made Easy

The left side of the helmet features an industrial button which connects to the auto darkening lens. Press and hold for 3 seconds to switch between weld and grind modes.

Benefits:

- Increases productivity
- Prevents accidental activation
- Enhanced application versatility



ADDITIONAL FEATURES

Hard Hat Compatible



Enhanced Outdoor Performance



Cheater Lens Compatible



REPLACEMENT PARTS

Part Number	Description	Product Type
KP3043-1	Outside Cover Lens - 1840 & 1740 Series	Cover Lenses
KP2897-1	Inside Cover Lens - 1840 Series	
S27978-58	Gasket - Outside Cover Lens Seal - 1840 & 1740 Series	
KP4627-1	Bulk Outside Cover Lens – 1840 & 1740 Series	
KP2930-1	Sweatband - Super Soft Knit Cotton	Sweatband & Headgear
KP4470-1	X6 Headgear	
KP3908-2	Pivot Headgear	
KP4100-2	Traditional Headgear	Hard Hat Adapters
KP3047-1	Hard Hat Adapter - Halo Style	
KP3486-1	Hard Hat Adapter - Slotted Style	
KP3046-XXX	Magnifying Cheater Lenses - 1.00 MAG - 2.50 MAG	Cheater Lenses
KP2853-5	ADF Cartridge - 1840 Digital Series	Auto-Darkening Filter & Parts
KP4562-1	Grind Button Assembly	
KP4491-1	CR 2450 Battery	
S27978-55	ADF Cartridge Holder	
KP4802-2	Glossy Black 1840 Replacement Shell	
		Replacement Shells

PRODUCT SPECIFICATIONS

Product Name	Lens Switching Speed (sec)	Variable Shade/Control	Battery Replacement Type	Magnifying "Cheater" Capable Lens	Grind Mode Shade/Control	Light Sensitivity Control	Delay Control Dark to Light (sec)	Arc Sensors	TIG Amp Rating	Cartridge/View Size in. (mm)	Temperature Range	Weight oz. (g)
VIKING 1840 Digital	1/25,000	7-13 Internal	CR2450 Replaceable Battery	Yes	2.5 / External	7 Sensitivity Settings	0.15 - 1.0 0.15 Sec Increments	4	DC > 2 Amp AC > 5 Amp	Cartridge US: US 5.25 x 4.50 (133 x 114) View: 3.78 x 1.85 (96 x 47)	Operating: -10°C - +55°C (14°F - 131°F) Storage: -20°C - +70°C (-4°F - 158°F)	19.5 (553)

CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, cutting equipment and EV charging systems. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation or application. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or communications. Moreover, the provision of such information or technical information does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or technical information, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose or any other equivalent or similar warranty is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the definition of specifications, and the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.